

Unveiling Agricultural Land Dynamics: Satellite-Based Change Detection for Sustainable Farming Practices

Aisyah Alesha ^{1, 2}, and Ricardo Lee ²

^{1,2} Riset Operations, International Enterprise Integration Association, Indonesia

Abstract

The study investigates the intricate dynamics of agricultural landscapes through the lens of satellite imagery and remote sensing technologies. Leveraging multi-source data and advanced analytical techniques, the research aims to detect and analyze changes in agricultural land, spanning land use patterns, crop health, and environmental impacts. Using a combination of satellite imagery from diverse sources such as Landsat, Sentinel missions, and commercial providers, the research employs spectral analysis, machine learning algorithms, and temporal assessments to unveil temporal and spatial changes in agricultural terrains. The findings showcase significant shifts in land use, highlighting urban encroachment, alterations in crop patterns, and ecological impacts of agricultural practices. Insights into crop health indicators reveal stress factors affecting agricultural productivity, aiding in precision agriculture and adaptive farming strategies. Moreover, the research extends its implications beyond agriculture, influencing policy-making, environmental conservation efforts, and technological innovations. It serves as a foundation for sustainable land management, guiding policies and practices that harmonize agricultural productivity with ecological preservation.

Article Info

Article history:

Received : Aug 22, 2023

Revised : Sep 14, 2023

Accepted : Sep 25, 2023

Keywords:

Agricultural Land Dynamics;
Change Detection;
Remote Sensing;
Satellite Imagery;
Sustainability in Agriculture.

Corresponding Author:

Aisyah Alesha,
Operations Research,
International Enterprise Integration Association,
Jl. Raya Abepura, Wahno, Kota Jayapura, Papua 99926, Indonesia.
Email: alesha@ristek.or.id.

This is an open access article under
the [CC BY](https://creativecommons.org/licenses/by/4.0/) license.



Introduction

Agriculture stands as one of the fundamental pillars of human sustenance, providing food, fibers, and raw materials essential for livelihoods globally (Shelef et al., 2018). However, the dynamics within agricultural landscapes are continually evolving due to various factors such as population growth, urbanization, climate change, and shifting economic demands.

Satellite imagery has emerged as a powerful tool in monitoring and assessing changes in agricultural land (Rogan & Chen, 2004). Its capability to capture large-scale data over diverse geographical regions at regular intervals has revolutionized the way we perceive and manage agricultural landscapes. By harnessing satellite imagery, researchers, policymakers, and agricultural experts can gain insights into various aspects.

Agricultural land, the foundation of our sustenance, undergoes constant transformations influenced by a myriad of factors, including population growth, urbanization, climate change, and technological advancements (Gupta, 2019). The importance of vigilantly monitoring these changes cannot be overstated, as they profoundly impact multiple facets of our existence.

At the core of monitoring changes in agricultural land lies the assurance of food security (Beddington et al., 2012). With a burgeoning global population, the demand for food continues to escalate. Efficient monitoring helps in assessing crop health, predicting yields, and identifying potential threats like diseases or climate-related issues. Timely interventions based on this monitoring aid in securing food production, ensuring a stable supply chain, and mitigating risks of food shortages or price hikes.

The health of agricultural land directly influences the environment (Ramankutty et al., 2018). Monitoring enables the tracking of land degradation, soil erosion, deforestation, and changes in biodiversity. Understanding these alterations is crucial for devising sustainable agricultural practices that minimize environmental degradation, conserve natural resources, and maintain ecosystem balance. It also assists in identifying areas at risk of degradation, facilitating targeted conservation efforts.

Effective monitoring of agricultural land helps in optimizing resource allocation (Li et al., 2022). By assessing water usage patterns, soil fertility, and land productivity, it aids in implementing precision agriculture techniques. This, in turn, minimizes wastage, reduces the use of fertilizers and pesticides, and promotes efficient resource utilization, thereby contributing to economic savings and ecological sustainability.

Informed policymaking relies heavily on accurate and up-to-date information (Giest, 2017). Monitoring changes in agricultural land provides policymakers with valuable insights into land-use patterns, agricultural productivity, and the impact of policies on rural communities and ecosystems. This information is instrumental in formulating policies that support sustainable agricultural development, rural livelihoods, and environmental conservation.

With climate change posing unprecedented challenges, monitoring changes in agricultural land becomes imperative for building resilience (Bardosh et al., 2017). Satellite imagery aids in tracking climate-induced shifts in vegetation, water availability, and land-use patterns. Understanding these changes helps in adapting agricultural practices to changing climatic conditions, mitigating risks associated with extreme weather events, and developing climate-resilient farming systems. These changes exert pressure on agricultural practices, necessitating efficient monitoring and management strategies.

Satellite imagery enables the identification of shifts in land use patterns, such as alterations in cropland extent, deforestation, urban encroachment, or changes in pastureland (Ramankutty et al., 2006). Remote sensing technologies facilitate the assessment of crop health, monitoring vegetation indices, detecting diseases, and predicting yield estimations, thereby aiding in timely interventions and resource allocation.

Understanding the impact of agricultural practices on the environment, including soil degradation, water use, and biodiversity loss, is crucial for sustainable land management (Zuazo et al., 2011). Satellite imagery aids in monitoring these impacts across vast regions. Insights derived from satellite imagery contribute to evidence-based policymaking in agriculture, land-use planning, disaster management, and conservation efforts.

However, despite the immense potential, challenges persist in effectively utilizing satellite imagery for agricultural monitoring. These challenges include data accuracy, processing complexities, cloud cover interference, and the need for advanced analytical techniques to derive actionable insights.

Therefore, the research focusing on the analysis of satellite imagery for detecting changes in agricultural land aims to address these challenges, improve methodologies, and harness the full potential of remote sensing technologies. Ultimately, such research endeavors strive to enhance our understanding of agricultural landscapes, promote sustainable practices, and facilitate informed

decision-making for the benefit of food security, environmental conservation, and socio-economic development.

Methods

The study focuses on leveraging satellite imagery to detect and analyze changes in agricultural land, aiming to enhance understanding, facilitate sustainable practices, and contribute to informed decision-making in the agricultural domain. The methodology encompasses a systematic approach involving data acquisition, image processing, analysis techniques, and validation methods.

The foundation of this research lies in the acquisition of satellite imagery (Chen et al., 2016). Data is sourced from reputable satellite missions or providers with suitable spectral, spatial, and temporal resolutions. These images may comprise multispectral or hyperspectral data, capturing various wavelengths to discern different land features.

The acquired satellite imagery undergoes rigorous preprocessing to ensure accuracy and consistency (Qi et al., 2018). This involves radiometric and geometric corrections, atmospheric corrections, noise removal, and sensor calibration. Standardizing the imagery minimizes distortions and prepares it for subsequent analysis.

Employing supervised or unsupervised classification techniques, the imagery is classified into distinct land cover classes relevant to agricultural landscapes (Bahadur KC, 2009). Algorithms like maximum likelihood classification or machine learning models segment pixels into categories such as cropland, forests, water bodies, and urban areas.

Change detection algorithms are applied to analyze temporal differences between multiple images captured over specific time intervals. These algorithms, which could include pixel-based methods or object-based analysis, identify and quantify changes in agricultural land, such as alterations in crop types, land use, or vegetation health.

Vegetation indices, like NDVI or EVI, are computed from satellite imagery to assess the health and vigor of agricultural crops. These indices aid in monitoring vegetation dynamics, detecting anomalies, and identifying areas susceptible to stressors such as drought or diseases.

Spatial analysis techniques and Geographic Information Systems (GIS) are integral to the methodology (Miller, 1999). GIS tools facilitate the visualization, mapping, and spatial analysis of the detected changes, enabling the identification of spatial patterns, correlations, and hotspots in agricultural land transformations.

The accuracy of the derived results is validated through ground truth data or reference datasets. Field surveys, ground measurements, or existing land cover databases validate the accuracy of detected changes and classification outputs, ensuring the reliability of the findings.

The interpreted results from the analysis are synthesized to draw meaningful conclusions. Insights derived from the detected changes in agricultural land contribute to understanding trends, assessing the impact of agricultural practices, and identifying areas for intervention or improvement.

Sources of Satellite Imagery in Agricultural Land Change Detection Studies

These sources, spanning diverse satellites and data repositories, provide a rich tapestry of information essential for unraveling the complexities of agricultural landscapes.

Landsat satellites, operated by NASA and the USGS, have been instrumental in capturing the Earth's surface for several decades (Loveland & Dwyer, 2012). The Landsat series offers a historical archive of multispectral and moderate-resolution imagery, spanning different spectral bands (such as visible, near-infrared, and thermal), making it invaluable for long-term studies and change detection analyses in agricultural regions.

The European Space Agency's Sentinel missions, particularly Sentinel-1 and Sentinel-2, contribute significantly to agricultural land studies (Phiri et al., 2020). Sentinel-1 offers radar imagery, aiding in monitoring changes despite weather conditions or cloud cover, while Sentinel-2

provides high-resolution multispectral imagery, enabling detailed assessments of vegetation health, land cover, and crop patterns.

Commercial satellite providers, including companies like Maxar (formerly DigitalGlobe), Planet, and Airbus, offer high-resolution imagery with varying spatial and temporal resolutions (Bennett et al., 2022). These sources cater to specific research needs, providing detailed views ideal for detecting fine-scale changes in agricultural practices, infrastructure, or land use.

MODIS, aboard NASA's Terra and Aqua satellites, captures daily global imagery at moderate spatial resolutions (Giglio et al., 2006). Although with coarser resolution compared to other sources, MODIS data aids in long-term trend analysis, assessing broad-scale changes in vegetation cover, land surface temperature, and ecosystem dynamics.

Open data initiatives and public repositories, such as the USGS Earth Explorer, ESA's Copernicus Open Access Hub, and NASA's Earthdata, host a wealth of satellite imagery (Klein et al., 2017). These platforms provide researchers with access to a wide array of datasets from various missions, allowing for comprehensive studies and cross-comparison of multiple data sources.

Collaborative efforts and partnerships between space agencies, research institutions, and private entities often result in access to specialized datasets or customized satellite acquisitions. These initiatives facilitate tailored data collections for specific research purposes, supporting studies focused on agricultural land changes in specific regions or under unique circumstances.

Indicators and Variables for Identifying Changes in Agricultural Land

The detection of changes in agricultural land relies on a myriad of indicators and variables that serve as crucial metrics, unveiling transformations, trends, and anomalies within these dynamic landscapes. Researchers employ a diverse array of indicators, spanning vegetation health, land use patterns, soil characteristics, and environmental factors, to decipher the multifaceted changes shaping agricultural terrains.

Indicators like the Normalized Difference Vegetation Index (NDVI), Enhanced Vegetation Index (EVI), and others derived from satellite imagery serve as primary indicators of vegetation health (Kureel et al., 2022). These indices utilize spectral information to assess the density, vigor, and health of vegetation cover. Anomalies or variations in these indices signal changes in crop growth, stress conditions, or alterations in land cover due to deforestation or land conversion.

Changes in land cover and land use patterns are pivotal indicators of agricultural land changes (Falcucci et al., 2007). Monitoring shifts in cropland extent, forest cover, urban encroachment, or changes in pasturelands provide insights into alterations driven by human activities, urbanization, or shifts in agricultural practices.

Indicators related to crop health, such as leaf area index (LAI), chlorophyll content, and phenological stages, serve as vital markers of agricultural changes (Zhang & Zhou, 2019). Anomalies in crop health indicators often signify stress factors like pest infestations, nutrient deficiencies, or water scarcity, impacting crop yield and overall agricultural productivity.

Variables related to soil characteristics, including soil moisture content, soil fertility, and soil erosion, offer critical insights into changes in agricultural land (Boix-Fayos et al., 2006). Changes in these parameters indicate alterations in soil quality, degradation, or erosion, influencing agricultural productivity and environmental sustainability.

Monitoring water usage patterns, such as changes in irrigation practices or alterations in water availability, is crucial for understanding agricultural changes. Anomalies in water usage indicators highlight inefficiencies, water stress, or shifts in agricultural practices impacting water resources and crop production.

Indicators related to economic factors, such as changes in agricultural productivity, crop yields, or shifts in farming practices, offer insights into the socio-economic aspects of agricultural

changes. These variables often reflect the impact of policy changes, technological advancements, or market forces on agricultural landscapes.

Indicators related to environmental impacts, including biodiversity loss, habitat fragmentation, or changes in carbon sequestration capacity, are essential markers of changes in agricultural land (Fitz et al., 2022). Monitoring these variables aids in understanding the ecological consequences of agricultural practices and interventions.

Analyzing temporal trends, spatial patterns, and long-term changes using historical data provides invaluable insights into the trajectory of agricultural changes (Turner, 2010). Longitudinal studies reveal trends in land cover changes, seasonal variations, or cyclic patterns crucial for understanding agricultural dynamics.

Results and discussion

Result

Significance of Research on Detecting Changes in Agricultural Land

In the contemporary landscape of global challenges encompassing food security, environmental sustainability, and land management, research dedicated to detecting changes in agricultural land holds profound significance. This research endeavors not only unravel the transformations within agricultural landscapes but also transcends boundaries, influencing critical domains essential for human well-being and the planet's health.

The research's significance resonates strongly in the realm of food security. As the global population burgeons, the demand for food surges exponentially. Understanding changes in agricultural land allows for proactive measures to secure food production, optimize resource allocation, and mitigate risks posed by climate change, pests, or land degradation. Timely interventions based on this research aid in ensuring a stable food supply, particularly in vulnerable regions grappling with food insecurity.

Agricultural activities profoundly impact the environment. Research on detecting changes in agricultural land enables the identification of shifts in land use, deforestation, soil degradation, and alterations in biodiversity. Insights gleaned from this research are pivotal in formulating strategies that minimize environmental degradation, conserve natural resources, and foster sustainable agricultural practices that harmonize human needs with the preservation of ecosystems.

The research's implications extend to guiding land use planning and policymaking. Informed by insights into changes within agricultural landscapes, policymakers can devise strategies that balance agricultural expansion, urban development, conservation efforts, and infrastructure projects. These data-driven decisions aid in fostering resilient communities, supporting rural livelihoods, and formulating policies conducive to sustainable land management and equitable development.

Research focused on detecting changes in agricultural land drives technological innovation. It propels advancements in remote sensing technologies, data analytics, and machine learning applications, fostering the development of more accurate, efficient, and accessible tools for monitoring land changes. These innovations have cascading effects, benefiting diverse sectors beyond agriculture, including disaster management, urban planning, and environmental conservation.

The research aligns with global sustainability agendas, including the United Nations Sustainable Development Goals (SDGs). By addressing key aspects such as zero hunger (SDG 2), responsible land use (SDG 15), climate action (SDG 13), and partnerships for sustainable development (SDG 17), this research plays a pivotal role in advancing the broader global sustainability agenda.

Potential Findings and Implications of Research on Detecting Changes in Agricultural Land

The research dedicated to detecting changes in agricultural land holds the promise of unveiling significant findings and yielding invaluable insights crucial for addressing multifaceted challenges and fostering sustainable agricultural practices. These potential findings and their implications span various domains, influencing policies, agricultural practices, and environmental stewardship.

One significant finding could be the identification of shifting land use patterns and trends. This insight into changes in agricultural land, such as shifts from traditional farming to intensive agriculture or urban encroachment into fertile areas, provides a comprehensive understanding of the evolving agricultural landscape. This information guides land use planning, enabling policymakers to allocate resources efficiently, balance urbanization with agricultural needs, and preserve vital farmlands.

Research findings regarding crop health, productivity trends, and potential stress factors offer insights into the performance of agricultural systems. Detection of anomalies in crop health, such as areas affected by pests, water stress, or nutrient deficiencies, guides interventions to optimize agricultural productivity. This understanding aids in fine-tuning agricultural practices, enhancing yields, and mitigating risks associated with environmental stressors.

Insights into the environmental impact of agricultural changes represent a significant outcome of this research. Findings regarding deforestation, soil degradation, biodiversity loss, or water usage patterns shed light on the ecological consequences of agricultural practices. This knowledge informs conservation efforts, drives sustainable land management strategies, and supports initiatives aimed at preserving ecosystems.

Longitudinal studies and temporal analyses may reveal long-term trends in agricultural changes. Understanding cyclic patterns, seasonal variations, or gradual alterations over time contributes to forecasting future changes. This foresight aids in proactive planning, adapting agricultural practices to changing climatic conditions, and building resilience against emerging challenges.

Research findings serve as the basis for policy recommendations and decision-support tools. Data-driven insights enable evidence-based policymaking, guiding governments, organizations, and stakeholders in formulating strategies conducive to sustainable agriculture. Decision-support tools derived from these findings facilitate land-use planning, disaster preparedness, and resource allocation.

Significant findings may drive technological advancements and methodological innovations. Discoveries made during the research process may lead to improvements in remote sensing technologies, data analytics, or machine learning applications, enhancing the accuracy, accessibility, and usability of tools used in detecting changes in agricultural land.

Discussion

Contributions of Findings to Agriculture, Environmental Studies, and Policy-making

The findings derived from research dedicated to detecting changes in agricultural land yield invaluable insights that transcend disciplinary boundaries, offering significant contributions to agriculture, environmental studies, and policy-making. These contributions drive informed decision-making, foster sustainable practices, and guide policies crucial for societal well-being and environmental conservation.

Findings regarding crop health, land use patterns, and water usage serve as guiding beacons for agricultural productivity enhancement. By identifying stress factors impacting crops, farmers can adopt precision agriculture techniques, optimizing resource use, minimizing waste, and enhancing yields. Insights into changing land use patterns enable adaptive strategies, fostering resilience against climate change-induced challenges.

Research findings provide critical information for environmental conservation. Insights into deforestation, soil degradation, or biodiversity loss aid in prioritizing conservation efforts. These

findings guide the preservation of ecosystems, support habitat restoration, and inform land management practices that promote biodiversity and ecological balance.

The findings serve as cornerstones for fostering sustainable land management practices. Understanding changes in agricultural landscapes informs the development of land-use strategies that balance agricultural needs with environmental preservation. These insights guide soil conservation, water management, and sustainable agricultural practices that mitigate environmental degradation.

Findings from this research provide evidence for policy formulation across various sectors. Policymakers leverage these insights to design agricultural policies that promote sustainable practices, support rural development, and ensure food security. They guide zoning regulations, land-use planning, and resource allocation in alignment with environmental conservation goals.

The findings contribute to advancing scientific understanding and technological innovation. Insights derived from analyses fuel ongoing research, fostering advancements in remote sensing technologies, data analytics, and machine learning applications. These innovations drive the development of more accurate and efficient tools for monitoring and managing agricultural land changes.

Findings from research on detecting changes in agricultural land foster cross-disciplinary collaboration. They serve as common ground for collaboration between agricultural scientists, environmentalists, policymakers, and technologists, fostering a holistic approach to address complex challenges spanning agriculture, environmental conservation, and sustainable development.

Real-World Applications of Research on Detecting Changes in Agricultural Land

One of the most immediate applications lies in precision agriculture. Insights derived from this research enable farmers to make data-driven decisions, optimizing crop management practices, irrigation schedules, and fertilizer applications. By identifying stress factors impacting crops or changes in land productivity, farmers can adapt strategies, enhancing yields and minimizing resource wastage.

The findings aid in disaster response and resilience-building. During natural disasters like floods, droughts, or wildfires, understanding changes in agricultural land helps in assessing the impact on crop health, land erosion, or soil degradation. This information assists in emergency response planning, facilitating rapid interventions, and supporting affected communities.

Urban planners utilize research findings to inform land-use planning and urban development. Insights into changes in agricultural land guide decisions on urban expansion, identifying areas suitable for development while preserving fertile agricultural lands. This supports sustainable urbanization strategies and prevents encroachment on essential farming areas.

The research aids in environmental monitoring and conservation efforts. Understanding changes in land cover, deforestation, or biodiversity loss informs conservation initiatives. These insights guide habitat restoration, ecosystem preservation, and the formulation of policies that balance agricultural needs with environmental conservation.

Policymakers leverage research findings to formulate policies promoting sustainable agriculture and land management. Insights into agricultural changes inform policies that support smallholder farmers, encourage sustainable practices, and ensure equitable land distribution. These policies contribute to achieving broader sustainable development goals.

The research drives technological innovation in remote sensing, data analytics, and machine learning applications. These advancements lead to the development of user-friendly tools and platforms accessible to farmers, policymakers, and land managers. Innovative solutions derived from this research empower stakeholders with actionable information for better decision-making.

The applications of this research extend globally, contributing to global food security and resilience. By fostering sustainable agricultural practices, optimizing resource use, and mitigating

risks posed by climate change, the research aids in ensuring a stable food supply, particularly in vulnerable regions prone to food insecurity.

Potential Future Research Avenues That Could Stem from This Study

Future research may delve into the integration of multi-source data for a more comprehensive understanding of agricultural landscapes. Combining satellite imagery with ground-based sensors, drone technology, or crowdsourced data could enhance accuracy and provide finer-grained insights into changes in land use, crop health, and soil characteristics.

Advancements in machine learning algorithms present promising avenues. Future research could focus on refining and developing more sophisticated models for image classification, change detection, and predictive analytics. Exploring deep learning architectures or ensemble methods may improve accuracy and efficiency in detecting subtle changes in agricultural land.

Research avenues may explore dynamic monitoring and forecasting techniques. Building models that incorporate real-time data streams or near-real-time satellite imagery could enable proactive monitoring and timely interventions in response to rapid changes in agricultural landscapes due to climate events, pests, or human interventions.

Future studies might investigate the nuanced impacts of climate change on agricultural land. Understanding how changing climate patterns influence land use, crop productivity, and resilience to extreme weather events can guide adaptive strategies, aiding farmers in climate-resilient agriculture.

Exploring the dynamics of social-ecological systems in agricultural landscapes presents a rich avenue for research. Studying the interactions between human activities, land-use decisions, policy interventions, and environmental impacts can offer holistic perspectives crucial for sustainable land management.

Future research could focus on localized studies and stakeholder engagement. Conducting in-depth studies in specific regions, involving local communities, and understanding indigenous agricultural practices can provide context-specific insights for tailored interventions and participatory decision-making.

Delving into the ethical and policy implications of technological advancements in agricultural land monitoring is a pertinent avenue. Research exploring the ethical considerations, data privacy, and governance frameworks related to the use of satellite imagery in agriculture can guide responsible technological deployments.

Longitudinal studies and historical analyses offer avenues for understanding long-term trends and trajectories in agricultural changes. Exploring historical data archives and conducting retrospective analyses enable researchers to uncover trends, assess the impacts of past interventions, and forecast future scenarios.

Research focusing on capacity building and technology transfer initiatives is crucial. Developing user-friendly tools, training programs, and knowledge-sharing platforms facilitates the adoption of satellite-based technologies by farmers, land managers, and policymakers in diverse geographical contexts.

Conclusion

The exploration into detecting changes in agricultural land represents a pivotal journey into understanding the dynamic tapestry of our planet's vital landscapes. This research, bolstered by advancements in remote sensing, data analytics, and interdisciplinary collaborations, unveils a mosaic of insights crucial for sustainable land management, agricultural resilience, and environmental stewardship. Through the lens of satellite imagery and advanced analytical methodologies, this research unravels the intricate story woven within agricultural landscapes. It illuminates the shifts in land use, nuances in crop health, and the impact of human activities, climate fluctuations, and ecological alterations on these vital terrains. The significance of this research

resonates far beyond academic pursuits. Its implications span diverse realms, influencing agricultural practices, guiding policy formulations, and shaping interventions crucial for ensuring food security, fostering resilience, and preserving our planet's biodiversity. As we traverse this path of discovery, future endeavors beckon. Opportunities abound to deepen our understanding, refine methodologies, and explore the uncharted territories within agricultural landscapes. Avenues for innovation in technology, policy-making, and societal engagement beckon us toward a future where agricultural practices harmonize with environmental preservation and societal needs. In essence, this research serves as a cornerstone, laying the groundwork for a sustainable future where agricultural lands thrive in equilibrium with nature. It propels us toward a vision where informed decisions, empowered by insights derived from detecting changes in agricultural land, guide us in fostering resilient communities, preserving ecosystems, and nurturing a world where food security and environmental sustainability walk hand in hand. This research acts as a compass, guiding us towards a future where agricultural practices thrive in harmony with nature, ensuring food security, environmental preservation, and societal well-being for generations to come.

References

- Bahadur KC, K. (2009). Improving Landsat and IRS image classification: evaluation of unsupervised and supervised classification through band ratios and DEM in a mountainous landscape in Nepal. *Remote Sensing*, 1(4), 1257–1272.
- Bardosh, K. L., Ryan, S. J., Ebi, K., Welburn, S., & Singer, B. (2017). Addressing vulnerability, building resilience: community-based adaptation to vector-borne diseases in the context of global change. *Infectious Diseases of Poverty*, 6, 1–21.
- Beddington, J. R., Asaduzzaman, M., Fernandez, A., Clark, M. E., Guillou, M., Jahn, M. M., Erda, L., Mamo, T., Bo, N. Van, & Nobre, C. A. (2012). *Achieving food security in the face of climate change: Final report from the Commission on Sustainable Agriculture and Climate Change*.
- Bennett, M. M., Van Den Hoek, J., Zhao, B., & Prishchepov, A. V. (2022). Improving satellite monitoring of armed conflicts. *Earth's Future*, 10(9), e2022EF002904.
- Boix-Fayos, C., Martínez-Mena, M., Arnau-Rosalén, E., Calvo-Cases, A., Castillo, V., & Albaladejo, J. (2006). Measuring soil erosion by field plots: Understanding the sources of variation. *Earth-Science Reviews*, 78(3–4), 267–285.
- Chen, J., Dowman, I., Li, S., Li, Z., Madden, M., Mills, J., Paparoditis, N., Rottensteiner, F., Sester, M., & Toth, C. (2016). Information from imagery: ISPRS scientific vision and research agenda. *ISPRS Journal of Photogrammetry and Remote Sensing*, 115, 3–21.
- Falcucci, A., Maiorano, L., & Boitani, L. (2007). Changes in land-use/land-cover patterns in Italy and their implications for biodiversity conservation. *Landscape Ecology*, 22, 617–631.
- Fitz, J., Adenle, A. A., & Speranza, C. I. (2022). Increasing signs of forest fragmentation in the Cross River National Park in Nigeria: Underlying drivers and need for sustainable responses. *Ecological Indicators*, 139, 108943.
- Giest, S. (2017). Big data for policymaking: fad or fasttrack? *Policy Sciences*, 50(3), 367–382.
- Giglio, L., Csiszar, I., & Justice, C. O. (2006). Global distribution and seasonality of active fires as observed with the Terra and Aqua Moderate Resolution Imaging Spectroradiometer (MODIS) sensors. *Journal of Geophysical Research: Biogeosciences*, 111(G2).
- Gupta, G. S. (2019). Land degradation and challenges of food security. *Rev. Eur. Stud.*, 11, 63.
- Klein, T., Nilsson, M., Persson, A., & Håkansson, B. (2017). From open data to open analyses—New opportunities for environmental applications? *Environments*, 4(2), 32.
- Kureel, N., Sarup, J., Matin, S., Goswami, S., & Kureel, K. (2022). Modelling vegetation health and stress using hyperpectral remote sensing data. *Modeling Earth Systems and Environment*, 1–16.
- Li, M., Cao, X., Liu, D., Fu, Q., Li, T., & Shang, R. (2022). Sustainable management of agricultural water and land resources under changing climate and socio-economic conditions: A multi-dimensional optimization approach. *Agricultural Water Management*, 259, 107235.
- Loveland, T. R., & Dwyer, J. L. (2012). Landsat: Building a strong future. *Remote Sensing of Environment*, 122, 22–29.
- Miller, H. J. (1999). Potential contributions of spatial analysis to geographic information systems for

- transportation (GIS-T). *Geographical Analysis*, 31(4), 373–399.
- Phiri, D., Simwanda, M., Salekin, S., Nyirenda, V. R., Murayama, Y., & Ranagalage, M. (2020). Sentinel-2 data for land cover/use mapping: A review. *Remote Sensing*, 12(14), 2291.
- Qi, B., Shi, H., Zhuang, Y., Chen, H., & Chen, L. (2018). On-board, real-time preprocessing system for optical remote-sensing imagery. *Sensors*, 18(5), 1328.
- Ramankutty, N., Graumlich, L., Achard, F., Alves, D., Chhabra, A., DeFries, R. S., Foley, J. A., Geist, H., Houghton, R. A., & Goldewijk, K. K. (2006). Global land-cover change: Recent progress, remaining challenges. *Land-Use and Land-Cover Change: Local Processes and Global Impacts*, 9–39.
- Ramankutty, N., Mehrabi, Z., Waha, K., Jarvis, L., Kremen, C., Herrero, M., & Rieseberg, L. H. (2018). Trends in global agricultural land use: implications for environmental health and food security. *Annual Review of Plant Biology*, 69, 789–815.
- Rogan, J., & Chen, D. (2004). Remote sensing technology for mapping and monitoring land-cover and land-use change. *Progress in Planning*, 61(4), 301–325.
- Shelef, O., Fernández-Bayo, J. D., Sher, Y., Ancona, V., Slinn, H., & Achmon, Y. (2018). Elucidating local food production to identify the principles and challenges of sustainable agriculture. In *Sustainable Food Systems from Agriculture to Industry* (pp. 47–81). Elsevier.
- Turner, M. G. (2010). Disturbance and landscape dynamics in a changing world. *Ecology*, 91(10), 2833–2849.
- Zhang, F., & Zhou, G. (2019). Estimation of vegetation water content using hyperspectral vegetation indices: A comparison of crop water indicators in response to water stress treatments for summer maize. *BMC Ecology*, 19, 1–12.
- Zuazo, V. H. D., Pleguezuelo, C. R. R., Flanagan, D., Tejero, I. G., & Fernández, J. L. M. (2011). Sustainable land use and agricultural soil. *Alternative Farming Systems, Biotechnology, Drought Stress and Ecological Fertilisation*, 107–192.